## NSN 5340-00-715-0325

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-715-0325

| Fabrication Method (non-core):                             |
|--|
| Machined   |
| First Leg Length:  |
| 1.100 inches   |
| Second Leg Length:   |
| 1.600 inches   |
| Second Leg Width:  |
| 2.130 inches   |
| First Leg Hole Diameter:                                   |
| 0.281 inches   |
| Second Leg Distance From Edge To Hole Center Along Width:  |
| 1.160 inches   |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 1.080 inches   |
| Second Leg Slot Length:                                    |
| 0.520 inches   |
| Second Leg Slot Width:                                     |
| 0.290 inches   |
| First Leg Thickness:                                       |
| 0.090 inches   |
| Second Leg Thickness:                                      |
| 0.090 inches   |
| First Leg Width:   |
| 2.130 inches   |
| First Leg Corner Radius:                                   |
| 0.250 inches   |
| First Leg Distance Between Hole Centers Along Width:       |
| 1.630 inches   |
| First Leg Distance From Edge To Hole Center Along Width:   |
| 0.250 inches   |
| First Leg Distance From Edge To Hole Center Along Length:  |
| 0.250 inches   |
| Second Leg End Radius:                                     |
| 0.520 inches   |
| First Leg Style:   |
| Corner radius  |
| First Leg Hole Arrangement Style:                          |
| Two holes  |
| Second Leg Style:  |
| End radius and tapered                                     |
| Second Leg Hole Arrangement Style:                         |
| One slot   |

## NSN 5340-00-715-0325

Angle Bracket - Page 2 of 2



## Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees Material: Steel comp 321 **Material Specification:** 66 federal standard single material response Style Designator: Angle **Fsc Application Data:** Engine, jet aircraft Shelf Life: N/a **Unit Of Measure:** Demilitarization: Yes - demil/mli

**Fiig:** A042a0