

View Online at <https://aerobasegroup.com/nsn/5340-00-721-4958>

Thread Class:

3b rod connection

Thread Direction:

Right-hand rod connection

Thread Length:

0.850 inches rod connection and 0.910 inches rod connection

Shank Length:

Between 0.750 inches and 0.870 inches

Hole Diameter:

Between 0.1894 inches and 0.1899 inches

Shank Diameter:

Between 0.428 inches and 0.448 inches

Overall Height:

Between 0.560 inches and 0.680 inches

Overall Width:

0.750 inches

End Radius:

Between 0.280 inches and 0.340 inches

Fork Span Width:

Between 0.500 inches and 0.505 inches

Securing Pin Hole Diameter:

0.062 inches

Distance From Center Of Securing Pin Hole To Rod End:

Between 0.280 inches and 0.340 inches

Distance From Pivot Pinhole Center To Rod Connection End:

Between 1.970 inches and 2.030 inches

Fork Arm Thickness:

0.100 mils

Fork Depth:

Between 0.850 inches and 0.910 inches

Thread Size:

0.312 inches rod connection

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

299-099-031, pzg1, bell helicopter co mfr ref single treatment response

Style Designator:

Clevis

Thread Series Designator:

Unf rod connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A264a0