

View Online at <https://aerobasegroup.com/nsn/5340-00-723-2859>

**Mounting Hole Type:**

Plain and threaded

**First Leg Length:**

0.650 inches

**Second Leg Length:**

0.770 inches

**Second Leg Width:**

2.452 inches

**Second Leg Corner Radius:**

0.320 inches

**First Leg Hole Diameter:**

Between 0.216 inches and 0.229 inches

**Second Leg Hole Diameter:**

0.308 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.3120 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.320 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.320 inches

**First Leg Thickness:**

0.309 inches

**Second Leg Thickness:**

0.039 inches

**First Leg Width:**

2.132 inches

**First Leg Corner Radius:**

0.220 inches

**First Leg Distance Between Hole Centers Along Width:**

0.1924 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.320 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.220 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One hole

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg incl nut plate ms21048-4 riveted over second hole w/an125422 two places; used on tf41 engine

**Material:**

Stainless steel

**Material Specification:**

Ams 5512 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0