

View Online at <https://aerobasegroup.com/nsn/5340-00-739-9314>

First Leg Length:

0.6700 inches

Second Leg Length:

0.4400 inches

Second Leg Width:

0.5000 inches

First Leg Hole Diameter:

0.2060 inches

Second Leg Hole Diameter:

0.2660 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.2500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.2500 inches

First Leg Thickness:

Between 0.0520 inches and 0.0680 inches

Second Leg Thickness:

Between 0.0520 inches and 0.0680 inches

Center Section Height:

0.4400 inches

Center Section Width:

0.7500 inches

Center Section Thickness:

Between 0.0520 inches and 0.0680 inches

First Leg Width:

0.5000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.2500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.2500 inches

First Leg End Radius:

Between 0.0600 inches and 0.2500 inches

Second Leg End Radius:

Between 0.0600 inches and 0.2500 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Heat Treatment:

Annealed

Material:

Steel

Material Specification:

Ams6350 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0