NSN 5340-00-765-3460

Threaded Rod End - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5340-00-765-3460

Thread Class: 2a Thread Direction: Right-hand Thread Length: 0.312 inches rod connection Overall Length: 5.125 inches Unthreaded End Length: 4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator: Unf rod connection
Thread Direction:Right-handThread Length:0.312 inches rod connectionOverall Length:5.125 inchesUnthreaded End Length:4.813 inchesUnthreaded End Outside Diameter:0.125 inchesThread Size:0.190 inches rod connectionMaterial:Steel comp 303Material Specification:Astm a582, cond a assn standard single material responseSurface Treatment:PassivateStyle Designator:External thread, solid endThread Series Designator:
Right-handThread Length:0.312 inches rod connectionOverall Length:5.125 inchesUnthreaded End Length:4.813 inchesUnthreaded End Outside Diameter:0.125 inchesThread Size:0.190 inches rod connectionMaterial:Steel comp 303Material Specification:Astm a582, cond a assn standard single material responseSurface Treatment:PassivateStyle Designator:External thread, solid endThread Series Designator:
Thread Length:0.312 inches rod connectionOverall Length:5.125 inchesUnthreaded End Length:4.813 inchesUnthreaded End Outside Diameter:0.125 inchesThread Size:0.190 inches rod connectionMaterial:Steel comp 303Material Specification:Astm a582, cond a assn standard single material responseSurface Treatment:PassivateStyle Designator:External thread, solid endThread Series Designator:
0.312 inches rod connection Overall Length: 5.125 inches Unthreaded End Length: 4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Overall Length: 5.125 inches Unthreaded End Length: 4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
5.125 inches Unthreaded End Length: 4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Unthreaded End Length: 4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
4.813 inches Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Unthreaded End Outside Diameter: 0.125 inches Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
0.125 inches Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Thread Size: 0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
0.190 inches rod connection Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Material:Steel comp 303Material Specification:Astm a582, cond a assn standard single material responseSurface Treatment:PassivateStyle Designator:External thread, solid endThread Series Designator:
Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Astm a582, cond a assn standard single material response Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Surface Treatment: Passivate Style Designator: External thread, solid end Thread Series Designator:
Passivate Style Designator: External thread, solid end Thread Series Designator:
Style Designator: External thread, solid end Thread Series Designator:
External thread, solid end Thread Series Designator:
Thread Series Designator:
-
Unf rod connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A264a0