NSN 5340-00-781-4008

Rod End Clevis - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-781-4008

Thread Class:
3b rod connection
Thread Direction:
Right-hand rod connection
Thread Length:
0.750 inches rod connection
Shank Length:
0.870 inches
Hole Diameter:
0.191 inches
Shank Diameter:
Between 0.418 inches and 0.421 inches
Overall Height:
0.500 inches
Overall Width:
0.375 inches
Angle Height:
0.090 inches
Fork Span Width:
0.128 inches
Securing Pin Hole Diameter:
0.062 inches
-
0.062 inches
0.062 inches Distance From Center Of Securing Pin Hole To Rod End:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection Angle:
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection Angle: 45.0 degrees
0.062 inches Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection Angle: 45.0 degrees Material:
Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection Angle: 45.0 degrees Material: Steel comp 4130
Distance From Center Of Securing Pin Hole To Rod End: 0.180 inches Distance From Pivot Pinhole Center To Rod Connection End: 1.560 inches Fork Arm Thickness: 0.123 inches Fork Depth: 0.250 inches Thread Size: 0.250 inches rod connection Angle: 45.0 degrees Material: Steel comp 4130 Material Specification:

Surface Treatment Specification:

Ps 362, the boeing co, vertol div mfr ref single treatment response

NSN 5340-00-781-4008

Rod End Clevis - Page 2 of 2



Style Designator:
Clevis
Thread Series Designator:
Unf rod connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A264a0

Mil-std (military Standard):

Mil-s-6758 spec.