

View Online at <https://aerobasegroup.com/nsn/5340-00-800-3336>

**First Leg Length:**

2.000 inches

**Second Leg Length:**

7.500 inches

**Second Leg Width:**

7.500 inches

**First Leg Hole Diameter:**

0.594 inches

**Second Leg Hole Diameter:**

0.438 inches

**Second Leg Distance Between Hole Centers Along Width:**

2.500 inches

**Second Leg Distance Between Hole Centers Along Length:**

2.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.250 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

7.500 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

2.500 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

2.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.688 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1020

**Material Specification:**

Qq-s-635 federal specification single material response

**Surface Treatment:**

Phosphate and enamel

**Surface Treatment Specification:**

Mil-c-490 military specification single treatment response and tt-e-489 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-490 spec.