

View Online at <https://aerobasegroup.com/nsn/5340-00-800-6194>

First Leg Length:

1.250 inches

Second Leg Length:

Between 3.625 inches and 3.750 inches

Second Leg Width:

1.250 inches

Second Leg Hole Diameter:

Between 0.406 inches and 0.468 inches

Second Leg Distance Between Hole Centers Along Length:

2.375 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

1.250 inches

Center Section Width:

1.250 inches

Center Section Thickness:

0.250 inches

First Leg Width:

1.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025

Material Specification:

Astm a576 assn standard 1st material response or astm a108 assn standard 2nd material response or qq-s-741 federal specification 2nd material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Mil-p-16232 ty z cl 2 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-p-16232 spec.