NSN 5340-00-801-0454

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-801-0454

·
Mounting Hole Type:
Plain
First Leg Length:
0.771 inches
Second Leg Length:
1.094 inches
Second Leg Width:
1.748 inches
First Leg Hole Diameter:
Between 0.279 inches and 0.288 inches
Second Leg Hole Diameter:
Between 0.279 inches and 0.288 inches
Second Leg Distance Between Hole Centers Along Width:
1.188 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.280 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.280 inches
First Leg Thickness:
Between 0.057 inches and 0.069 inches
Second Leg Thickness:
Between 0.042 inches and 0.047 inches
Center Section Height:
1.795 inches
Center Section Width:
1.000 inches
Center Section Thickness:
Between 0.057 inches and 0.069 inches
First Leg Width:
2.266 inches
First Leg Corner Radius:
0.280 inches
First Leg Distance Between Hole Centers Along Width:
1.706 inches
First Leg Distance From Edge To Hole Center Along Width:
0.280 inches
First Leg Distance From Edge To Hole Center Along Length:
0.280 inches
Second Leg End Radius:
0.469 inches
First Leg Style:
Corner radius

NSN 5340-00-801-0454Double Angle Bracket - Page 2 of 2



First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
Second Leg Angle:
0.250 radians
First Leg Offset Angle:
0.12 radians
Second Leg Offset Angle:
12.0 degrees
Special Features:
Second leg center hole 0.594 in. Nom dia; center section tapers from 2.266 in. To 1.000 in.; second end tapers to 0.042 in. Min and 0.047 in
Max
Material:
Steel
Material Specification:
Ams-5512 assn standard single material response
Style Designator:
Offset double angle
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
4042a0