NSN 5340-00-802-5738

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-802-5738

| First London to the |
|--|
| First Leg Length: |
| 0.720 inches |
| Second Leg Length: |
| 0.810 inches |
| Second Leg Width: |
| 0.635 inches |
| First Leg Hole Diameter: |
| 0.349 inches |
| Second Leg Hole Diameter: |
| 0.224 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.312 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.320 inches |
| First Leg Thickness: |
| 0.068 inches |
| Second Leg Thickness: |
| 0.068 inches |
| Center Section Height: |
| 0.460 inches |
| Center Section Width: |
| 0.635 inches |
| Center Section Thickness: |
| 0.068 inches |
| First Leg Width: |
| 0.635 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.318 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.320 inches |
| First Leg End Radius: |
| Between 0.469 inches and 0.531 inches |
| Second Leg End Radius: |
| Between 0.469 inches and 0.531 inches |
| First Leg Style: |
| End radius |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Style: |
| End radius |
| |
| Second Leg Hole Arrangement Style: |
| One hole |

NSN 5340-00-802-5738

Double Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:

Not identical

Material:

Steel comp 4130

Material Specification:

Ams 6350 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0