

View Online at <https://aerobasegroup.com/nsn/5340-00-808-1002>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.730 inches

**Second Leg Length:**

0.970 inches

**End Application:**

W/s: engine, aircraft tf33-pw-102 (c-135e, ec-135h/k/p); aircraft, strato fortress b-52; engine, aircraft, tf-33-p-7 (c-141a/b); engine, aircraft tf33-p-3/5/9 (c/ec-135, b-52h)

**Second Leg Width:**

4.220 inches

**Second Leg Corner Radius:**

0.219 inches

**First Leg Hole Diameter:**

Between 0.339 inches and 0.349 inches

**First Leg Thickness:**

Between 0.028 inches and 0.034 inches

**Second Leg Thickness:**

Between 0.028 inches and 0.034 inches

**First Leg Distance Between Lower Hole Centers Along Width:**

1.919 inches

**First Leg Distance Between Hole Centers Along Length:**

0.031 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

0.959 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Corner radius

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 4130 or steel comp 8630

**Material Specification:**

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Ams 2400 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0