

View Online at <https://aerobasegroup.com/nsn/5340-00-813-0544>

First Leg Length:

Between 0.740 inches and 0.760 inches

Second Leg Length:

Between 1.220 inches and 1.240 inches

Second Leg Width:

Between 1.350 inches and 1.370 inches

First Leg Hole Diameter:

Between 0.210 inches and 0.230 inches

Second Leg Hole Diameter:

Between 0.210 inches and 0.230 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.970 inches and 0.990 inches

Second Leg Distance Between Hole Centers Along Length:

0.550 mils and 0.570 centimeters

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.180 inches and 0.200 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.160 inches and 0.180 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

First Leg Width:

Between 1.350 inches and 1.370 inches

First Leg Corner Radius:

Between 0.240 inches and 0.260 inches

First Leg Distance Between Hole Centers Along Width:

Between 0.850 inches and 0.870 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0