

View Online at <https://aerobasegroup.com/nsn/5340-00-819-5910>

**First Leg Length:**

0.500 inches

**Second Leg Length:**

0.500 inches

**Second Leg Width:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.1845 inches and 0.1875 inches

**Second Leg Hole Diameter:**

Between 0.165 inches and 0.168 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.188 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.188 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**First Leg Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.219 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Supplied with penn engineering insert part no. Cls-632-2 in first leg hole

**Material:**

Aluminum alloy 6063

**Material Specification:**

Qq-a-200/9, t5 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Fsc Application Data:**

Computer, ks-92 camera system

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.