

View Online at <https://aerobasegroup.com/nsn/5340-00-819-5910>

First Leg Length:

0.500 inches

Second Leg Length:

0.500 inches

Second Leg Width:

0.500 inches

First Leg Hole Diameter:

Between 0.1845 inches and 0.1875 inches

Second Leg Hole Diameter:

Between 0.165 inches and 0.168 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.188 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

First Leg Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.219 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Special Features:

Supplied with penn engineering insert part no. Cls-632-2 in first leg hole

Material:

Aluminum alloy 6063

Material Specification:

Qq-a-200/9, t5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Fsc Application Data:

Computer, ks-92 camera system

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.