

View Online at <https://aerobasegroup.com/nsn/5340-00-828-5023>

Fabrication Method (non-core):

Formed

First Leg Length:

0.580 inches

Second Leg Length:

0.960 inches

Second Leg Width:

1.360 inches

Second Leg Corner Radius:

0.090 inches

First Leg Hole Diameter:

0.220 inches

Second Leg Hole Diameter:

0.220 inches

Second Leg Distance Between Hole Centers Along Width:

0.922 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.220 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.480 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

Center Section Height:

0.685 inches

Center Section Width:

1.360 inches

Center Section Thickness:

0.040 inches

First Leg Width:

1.360 inches

First Leg Corner Radius:

0.090 inches

First Leg Distance Between Hole Centers Along Width:

0.922 inches

First Leg Distance From Edge To Hole Center Along Width:

0.220 inches

First Leg Distance From Edge To Hole Center Along Length:

0.190 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 302

Material Specification:

Mil-s-5059 military specification single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.