NSN 5340-00-830-9622

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-830-9622

Fabrication	Mothod	(non-coro	١.
raprication	wethod	mon-core):

Machined

First Leg Length:

Between 0.734 inches and 0.766 inches

Second Leg Length:

Between 0.984 inches and 1.016 inches

Second Leg Width:

Between 1.797 inches and 1.828 inches

Second Leg Corner Radius:

Between 0.109 inches and 0.141 inches

First Leg Hole Diameter:

Between 0.225 inches and 0.234 inches

First Leg Thickness:

Between 0.109 inches and 0.141 inches

Second Leg Thickness:

Between 0.109 inches and 0.141 inches

First Leg Width:

Between 2.422 inches and 2.453 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.933 inches and 1.943 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.234 inches and 0.266 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.297 inches and 0.328 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

First Leg Angle:

90.0 degrees

Special Features:

Furnished with one nut and two rivets

Material:

Aluminum alloy 6063

Material Specification:

Qq-a-200/9, t5 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Angle

NSN 5340-00-830-9622

Angle Bracket - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J	116		_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0