

View Online at <https://aerobasegroup.com/nsn/5340-00-833-5286>

**First Leg Length:**

1.120 inches

**Second Leg Length:**

1.129 inches

**End Application:**

Aircraft engine tf30

**Second Leg Width:**

0.504 inches

**First Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

Between 0.038 inches and 0.043 inches

**Second Leg Thickness:**

0.069 inches

**Center Section Height:**

2.249 inches

**Center Section Width:**

0.504 inches

**Center Section Thickness:**

Between 0.038 inches and 0.043 inches

**First Leg Width:**

0.504 inches

**First Leg Distance Between Hole Centers Along Length:**

0.560 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

0.250 inches

**Second Leg End Radius:**

0.250 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Criticality Code Justification:**

Agav

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

Submitted as bracket, loop clamp

**Material:**

Steel comp 410

**Material Specification:**

Ams5504 assn standard single material response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0