

View Online at <https://aerobasegroup.com/nsn/5340-00-840-9273>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Threaded

First Leg Length:

0.656 inches

Second Leg Length:

1.625 inches

Second Leg Width:

1.000 inches

First Leg Hole Diameter:

0.138 inches

Second Leg Hole Diameter:

0.099 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.518 inches and 0.522 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.518 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

Between 0.518 inches and 0.522 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.240 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.156 inches

Second Leg Distance Between First And Second Hole Centers Along Length:

Between 0.310 inches and 0.314 inches

Second Leg Distance Between Second And Third Hole Centers Along Length:

Between 0.310 inches and 0.314 inches

First Leg Thickness:

Between 0.086 inches and 0.094 inches

Second Leg Thickness:

Between 0.087 inches and 0.094 inches

First Leg Width:

2.125 inches

First Leg Distance Between Hole Centers Along Width:

1.562 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.406 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 302 or steel comp 304

Material Specification:

Qq-s-766, cond a federal specification all material responses

Surface Treatment:

Passivate

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0