

View Online at <https://aerobasegroup.com/nsn/5340-00-840-9273>

**Fabrication Method (non-core):**

Any acceptable

**Mounting Hole Type:**

Threaded

**First Leg Length:**

0.656 inches

**Second Leg Length:**

1.625 inches

**Second Leg Width:**

1.000 inches

**First Leg Hole Diameter:**

0.138 inches

**Second Leg Hole Diameter:**

0.099 inches

**Second Leg Distance Between Hole Centers Along Width:**

Between 0.518 inches and 0.522 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.518 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

Between 0.518 inches and 0.522 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.240 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.156 inches

**Second Leg Distance Between First And Second Hole Centers Along Length:**

Between 0.310 inches and 0.314 inches

**Second Leg Distance Between Second And Third Hole Centers Along Length:**

Between 0.310 inches and 0.314 inches

**First Leg Thickness:**

Between 0.086 inches and 0.094 inches

**Second Leg Thickness:**

Between 0.087 inches and 0.094 inches

**First Leg Width:**

2.125 inches

**First Leg Distance Between Hole Centers Along Width:**

1.562 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.406 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 302 or steel comp 304

**Material Specification:**

Qq-s-766, cond a federal specification all material responses

**Surface Treatment:**

Passivate

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0