

View Online at <https://aerobasegroup.com/nsn/5340-00-848-4560>

Fabrication Method (non-core):

Any acceptable

First Leg Length:

1.125 inches

Second Leg Length:

1.250 inches

Second Leg Width:

4.125 inches

First Leg Hole Diameter:

0.343 inches

Second Leg Hole Diameter:

Between 0.253 inches and 0.262 inches

Second Leg Distance Between Lower Hole Centers Along Width:

3.125 inches

Second Leg Distance Between Hole Centers Along Length:

0.312 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.562 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.438 inches

First Leg Thickness:

Between 0.118 inches and 0.132 inches

Second Leg Thickness:

Between 0.118 inches and 0.132 inches

First Leg Width:

4.125 inches

First Leg Corner Radius:

0.375 inches

First Leg Distance Between Hole Centers Along Width:

3.125 inches

First Leg Distance Between Lower Hole Centers Along Width:

0.156 inches

First Leg Distance Between Hole Centers Along Length:

0.438 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Slot in first leg 3.125 in. By 0.218 in. W

Material:

Aluminum alloy 6063

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0