

View Online at <https://aerobasegroup.com/nsn/5340-00-848-4560>

**Fabrication Method (non-core):**

Any acceptable

**First Leg Length:**

1.125 inches

**Second Leg Length:**

1.250 inches

**Second Leg Width:**

4.125 inches

**First Leg Hole Diameter:**

0.343 inches

**Second Leg Hole Diameter:**

Between 0.253 inches and 0.262 inches

**Second Leg Distance Between Lower Hole Centers Along Width:**

3.125 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.312 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

1.562 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.438 inches

**First Leg Thickness:**

Between 0.118 inches and 0.132 inches

**Second Leg Thickness:**

Between 0.118 inches and 0.132 inches

**First Leg Width:**

4.125 inches

**First Leg Corner Radius:**

0.375 inches

**First Leg Distance Between Hole Centers Along Width:**

3.125 inches

**First Leg Distance Between Lower Hole Centers Along Width:**

0.156 inches

**First Leg Distance Between Hole Centers Along Length:**

0.438 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Slot in first leg 3.125 in. By 0.218 in. W

**Material:**

Aluminum alloy 6063

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0