NSN 5340-00-850-4763

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-850-4763

Fabrication Method (non-core):
Stamped
First Leg Length:
0.812 inches
Second Leg Length:
0.937 inches
Second Leg Width:
0.688 inches
First Leg Hole Diameter:
Between 0.199 inches and 0.205 inches
Second Leg Hole Diameter:
Between 0.259 inches and 0.265 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.344 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
1.523 inches
Center Section Width:
0.688 inches
Center Section Thickness:
0.125 inches
First Leg Width:
0.688 inches
First Leg Distance From Edge To Hole Center Along Width:
0.344 inches
First Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg End Radius:
0.375 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
One hole

NSN 5340-00-850-4763

Double Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg: Not identical First Leg Angle: 125.0 degrees Second Leg Angle: 125.0 degrees **Special Features:** 2nd leg, one corner chamfered 0.250 in. By 40.0 degrees angle Surface Treatment: Oxide Surface Treatment Specification: Mil-c-13924, cl 1 military specification single treatment response **Style Designator:** Double angle Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A042a0 Mil-std (military Standard): Mil-c-13924 spec.
