

View Online at <https://aerobasegroup.com/nsn/5340-00-863-5248>

Fabrication Method (non-core):

Machined

Mounting Hole Type:

Countersunk

First Leg Length:

0.860 inches

Second Leg Length:

1.460 inches

Second Leg Width:

2.000 inches

First Leg Hole Diameter:

Between 0.250 inches and 0.257 inches

Second Leg Hole Diameter:

Between 0.193 inches and 0.199 inches

Second Leg Distance Between Lower Hole Centers Along Width:

1.300 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.650 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.350 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Thickness:

Between 0.130 inches and 0.160 inches

Second Leg Thickness:

Between 0.130 inches and 0.160 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.540 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130

Material Specification:

Mil-s-6758, sae, cond f4 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-6758 spec.