

View Online at <https://aerobasegroup.com/nsn/5340-00-868-1039>

**Fabrication Method (non-core):**

Stamped

**First Leg Length:**

Between 1.109 inches and 1.141 inches

**Second Leg Length:**

Between 2.484 inches and 2.516 inches

**Second Leg Width:**

Between 73.984 inches and 74.016 inches

**Second Leg Corner Radius:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.140 inches and 0.150 inches

**Second Leg Hole Diameter:**

Between 0.196 inches and 0.205 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

9.125 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

9.125 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.000 inches

**First Leg Thickness:**

Between 0.110 inches and 0.130 inches

**Second Leg Thickness:**

Between 0.110 inches and 0.130 inches

**First Leg Width:**

Between 73.984 inches and 74.016 inches

**First Leg Distance Between Hole Centers Along Width:**

73.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

135.0 degrees

**Special Features:**

9 additional mtg holes in smaller end 0.196 in. Min to 0.205 in. Maximum diameter and 6 additional mtg holes in larger end

**Heat Treatment:**

Annealed

**Material:**

Steel

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0