

View Online at <https://aerobasegroup.com/nsn/5340-00-872-4491>

First Leg Length:

Between 0.990 inches and 1.010 inches

Second Leg Length:

Between 0.990 inches and 1.010 inches

Second Leg Width:

1.290 inches

First Leg Hole Diameter:

Between 0.365 inches and 0.385 inches

Second Leg Hole Diameter:

Between 0.183 inches and 0.203 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.620 inches and 0.630 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.327 inches and 0.347 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.365 inches and 0.385 inches

First Leg Thickness:

Between 0.053 inches and 0.073 inches

Second Leg Thickness:

Between 0.053 inches and 0.073 inches

First Leg Width:

Between 0.890 inches and 0.910 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.440 inches and 0.460 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.330 inches and 0.350 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Cutaway located on the sides of second leg, next to angle, 0.250 in. Radius

Heat Treatment:

T-4 solution heat treated

Material:

Aluminum

Surface Treatment:

Anodize

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0