

View Online at <https://aerobasegroup.com/nsn/5340-00-874-0713>

Fabrication Method (non-core):

Welded

First Leg Length:

2.750 inches

Second Leg Length:

3.500 inches

End Application:

Used on aircraft launch and recovery equipment (alre)

Second Leg Width:

5.000 inches

First Leg Hole Diameter:

0.625 inches

Second Leg Hole Diameter:

0.812 inches

Second Leg Distance Between Hole Centers Along Width:

3.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.812 inches

First Leg Thickness:

1.000 inches

Second Leg Thickness:

1.000 inches

First Leg Width:

5.000 inches

First Leg Distance From Edge To Hole Center Along Width:

2.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.750 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

First Leg Angle:

90.0 degrees

Special Features:

First leg hole thd, 5/8-11-unc-2b

Material:

Steel

Surface Treatment:

Zinc

Surface Treatment Specification:

Mil-p-6808 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-p-6808 spec.