

View Online at <https://aerobasegroup.com/nsn/5340-00-874-0713>

**Fabrication Method (non-core):**

Welded

**First Leg Length:**

2.750 inches

**Second Leg Length:**

3.500 inches

**End Application:**

Used on aircraft launch and recovery equipment (alre)

**Second Leg Width:**

5.000 inches

**First Leg Hole Diameter:**

0.625 inches

**Second Leg Hole Diameter:**

0.812 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.812 inches

**First Leg Thickness:**

1.000 inches

**Second Leg Thickness:**

1.000 inches

**First Leg Width:**

5.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

2.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**First Leg Angle:**

90.0 degrees

**Special Features:**

First leg hole thd, 5/8-11-unc-2b

**Material:**

Steel

**Surface Treatment:**

Zinc

**Surface Treatment Specification:**

Mil-p-6808 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-p-6808 spec.