## NSN 5340-00-877-3528

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-877-3528 First Leg Length: 1.562 inches Second Leg Length: Between 2.613 inches and 2.653 inches Second Leg Width: 1.402 inches First Leg Hole Diameter: Between 0.217 inches and 0.225 inches Second Leg Hole Diameter: Between 0.342 inches and 0.351 inches Second Leg Distance From Edge To Hole Center Along Width: 0.312 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.312 inches First Leg Thickness: 0.052 inches **Second Leg Thickness:** 0.052 inches First Leg Width: Between 0.605 inches and 0.645 inches First Leg Distance From Edge To Hole Center Along Width: 0.312 inches First Leg Distance From Edge To Hole Center Along Length: 0.312 inches First Leg End Radius: 0.500 inches Second Leg End Radius: 0.500 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees

Material: Steel comp 4130 or steel comp 8630

## NSN 5340-00-877-3528

Angle Bracket - Page 2 of 2



۱	/late	rial	Sn	ecif	icat	ion	
١	nate	ııaı	OD.	CUII	ıvaı	.1011	٠

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

**Surface Treatment:** 

Cadmium

**Surface Treatment Specification:** 

Ams 2400 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0