NSN 5340-00-881-1006

Double Angle Bracket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-00-881-1006

FormedSecond Leg Width:Between 0.485 inches and 0.515 inchesFirst Leg Hole Diameter:Between 0.214 inches and 0.224 inchesSecond Leg Hole Diameter:Between 0.214 inches and 0.224 inchesSecond Leg Distance From Edge To Hole Center Along WidthBetween 0.240 inches and 0.260 inchesSecond Leg Distance From Edge To Hole Center Along LengBetween 0.240 inches and 0.260 inchesFirst Leg Width:Between 0.485 inches and 0.260 inchesFirst Leg Distance From Edge To Hole Center Along Width:Between 0.485 inches and 0.260 inchesFirst Leg Distance From Edge To Hole Center Along Width:Between 0.440 inches and 0.260 inchesFirst Leg Distance From Edge To Hole Center Along Width:Between 0.440 inches and 0.406 inchesFirst Leg End Radius:Between 0.344 inches and 0.406 inchesFirst Leg Style:End radiusFirst Leg Hole Arrangement Style:One holeSecond Leg Hole Arrangement Style:One holeSecond Leg Hole Arrangement Style:One holeSpecial Features:Nut brazed in legMaterial:Steel comp 410Material Specification:
Between 0.485 inches and 0.515 inches First Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.406 inches First Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: Cone hole Special Features: Nut brazed in leg Material: Steel comp 410
First Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Distance From Edge To Hole Center Along Widt Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.214 inches and 0.224 inches Second Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Style: End radius Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg Hole Diameter: Between 0.214 inches and 0.224 inches Second Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.214 inches and 0.224 inches Second Leg Distance From Edge To Hole Center Along Width Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg Distance From Edge To Hole Center Along Widtl Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.240 inches and 0.260 inches Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg Distance From Edge To Hole Center Along Leng Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.240 inches and 0.260 inches First Leg Width: Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
First Leg Width:Between 0.485 inches and 0.515 inchesFirst Leg Distance From Edge To Hole Center Along Width:Between 0.240 inches and 0.260 inchesFirst Leg End Radius:Between 0.344 inches and 0.406 inchesSecond Leg End Radius:Between 0.344 inches and 0.406 inchesFirst Leg Style:Bet ween 0.344 inches and 0.406 inchesFirst Leg Style:Bet ween 0.344 inches and 0.406 inchesFirst Leg Style:Bet ween 0.344 inches and 0.406 inchesFirst Leg Style:End radiusFirst Leg Hole Arrangement Style:One holeSecond Leg Style:End radiusSecond Leg Hole Arrangement Style:One holeSecond Leg Hole Arrangement Style:One holeSpecial Features:Nut brazed in legMaterial:Steel comp 410
Between 0.485 inches and 0.515 inches First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Hole Second Hole Second Leg Hole Arrangement Hole Second Hole Second Hole Second Hole Hole Second Hole Second Hole Hole Hole Hole Second Hole Hole Hole H
First Leg Distance From Edge To Hole Center Along Width: Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: Nut brazed in leg Material: Steel comp 410
Between 0.240 inches and 0.260 inches First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
First Leg End Radius: Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.344 inches and 0.406 inches Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg End Radius: Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Between 0.344 inches and 0.406 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
End radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
First Leg Hole Arrangement Style: One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
One hole Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
End radius Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
Second Leg Hole Arrangement Style: One hole Special Features: Nut brazed in leg Material: Steel comp 410
One hole Special Features: Nut brazed in leg Material: Steel comp 410
Special Features: Nut brazed in leg Material: Steel comp 410
Nut brazed in leg Material: Steel comp 410
Material: Steel comp 410
Material: Steel comp 410
Ams 5504 assn standard single material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0