## NSN 5340-00-890-4065

Access Cover - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-890-4065

Cross Sectional Shape:
Flat
Hole Diameter:
Between 0.257 inches and 0.262 inches
Width:
8.540 inches
Edge Shape:
Rectangle, rounded corners, multi holes
Length:
11.540 inches
Corner Radius:
0.382 inches
Hole Quantity Along Length:
8
Hole Quantity Along Width:
10
Distance Between Holes Along Length:
2.150 inches
Distance From First Hole Centerline To End Along Length:
0.400 inches
Distance From First Hole Centerline To End Along Width:
0.400 inches
0.400 inches  Body Thickness:
Body Thickness:
Body Thickness: 0.080 inches
Body Thickness: 0.080 inches Securing Device Type:
Body Thickness: 0.080 inches Securing Device Type: Threaded fastener
Body Thickness: 0.080 inches Securing Device Type: Threaded fastener Mounting Opening Shape Style:
Body Thickness: 0.080 inches Securing Device Type: Threaded fastener Mounting Opening Shape Style: Unthreaded hole
Body Thickness:  0.080 inches  Securing Device Type:  Threaded fastener  Mounting Opening Shape Style:  Unthreaded hole  Material:
Body Thickness:  0.080 inches  Securing Device Type:  Threaded fastener  Mounting Opening Shape Style:  Unthreaded hole  Material:  Aluminum alloy 2024
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification:
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification:  Qq-a-250/5 federal specification single material response
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment:
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment: Primer
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment: Primer  Surface Treatment Specification:
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment: Primer  Surface Treatment Specification: Mil-p-23377 military specification single treatment response
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment: Primer  Surface Treatment Specification: Mil-p-23377 military specification single treatment response  Fsc Application Data:
Body Thickness:  0.080 inches  Securing Device Type: Threaded fastener  Mounting Opening Shape Style: Unthreaded hole  Material: Aluminum alloy 2024  Material Specification: Qq-a-250/5 federal specification single material response  Surface Treatment: Primer  Surface Treatment Specification: Mil-p-23377 military specification single treatment response  Fsc Application Data: Fuselage, airframe

--

## NSN 5340-00-890-4065

Access Cover - Page 2 of 2



Demi			

Yes - demil/mli

Fiig:

A531c0

## Mil-std (military Standard):

Mil-p-23377 spec.