

View Online at <https://aerobasegroup.com/nsn/5340-00-890-9225>

Fabrication Method (non-core):

Formed

First Leg Length:

Between 0.750 inches and 0.770 inches

Second Leg Length:

Between 0.750 inches and 0.770 inches

Second Leg Width:

Between 0.380 inches and 0.420 inches

First Leg Hole Diameter:

Between 0.220 inches and 0.240 inches

Second Leg Hole Diameter:

Between 0.220 inches and 0.240 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.190 inches and 0.210 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.190 inches and 0.210 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

Center Section Height:

Between 0.497 inches and 0.529 inches

Center Section Width:

Between 0.380 inches and 0.420 inches

Center Section Thickness:

Between 0.057 inches and 0.069 inches

First Leg Width:

Between 0.380 inches and 0.420 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.190 inches and 0.210 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.190 inches and 0.210 inches

First Leg End Radius:

Between 0.190 inches and 0.210 inches

Second Leg End Radius:

Between 0.190 inches and 0.210 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0