

View Online at <https://aerobasegroup.com/nsn/5340-00-893-9982>

Fabrication Method (non-core):

Machined

First Leg Length:

Between 1.234 inches and 1.266 inches

Second Leg Length:

Between 0.828 inches and 0.859 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

First Leg Thickness:

Between 0.086 inches and 0.094 inches

Second Leg Thickness:

Between 0.086 inches and 0.094 inches

First Leg End Width:

Between 5.901 inches and 5.911 inches

First Leg Distance Between First And Second Hole Centers Along Width:

Between 2.245 inches and 2.255 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

Between 2.245 inches and 2.255 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.797 inches and 0.828 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.422 inches and 0.453 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Three holes

First Leg Angle:

90.0 degrees

Special Features:

Furnished with three nuts, self-locking, plate and six rivets

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0