NSN 5340-00-904-3342

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-904-3342

| Fabrication Method (non-core): |
|--|
| Stamped |
| First Leg Length: |
| 0.406 inches |
| Second Leg Length: |
| 0.656 inches |
| Second Leg Width: |
| 0.375 inches |
| First Leg Hole Diameter: |
| 0.128 inches |
| Second Leg Hole Diameter: |
| 0.128 inches |
| Second Leg Distance Between Hole Centers Along Length: |
| 0.250 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.188 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.188 inches |
| First Leg Thickness: |
| 0.094 inches |
| Second Leg Thickness: |
| 0.094 inches |
| Center Section Height: |
| 0.562 inches |
| Center Section Width: |
| 0.375 inches |
| Center Section Thickness: |
| 0.094 inches |
| First Leg Width: |
| 0.375 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.188 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.188 inches |
| First Leg End Radius: |
| 0.188 inches |
| Second Leg End Radius: |
| 0.188 inches |
| First Leg Style: |
| End radius |
| First Leg Hole Arrangement Style: |
| One hole |

NSN 5340-00-904-3342Double Angle Bracket - Page 2 of 2



| Second Leg Style: |
|--|
| End radius |
| Second Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| 90.0 degrees |
| Second Leg Angle: |
| 90.0 degrees |
| Special Features: |
| Two 0.062 in. Diameter plain holes in section between first and second leg. First hole center 0.281 in. Vertical from first leg. Second hole |
| center0.453 in. Vertical from first leg, 0.125 in. From edge to hole centers alongwidth |
| Heat Treatment: |
| Annealed |
| Material: |
| Stainless steel |
| Surface Treatment: |
| Passivate |
| Style Designator: |
| Double angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |
| Fiig: |
| A042a0 |
| |
| |
| |