## NSN 5340-00-905-7293

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-905-7293

Falscing than Mathed (non-cons).
Fabrication Method (non-core):
Machined
First Leg Length:
0.812 inches
Second Leg Length:
1.373 inches
Second Leg Width:
0.630 inches
First Leg Hole Diameter:
0.203 inches
Second Leg Hole Diameter:
0.203 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.315 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.180 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Width:
0.630 inches
First Leg Distance From Edge To Hole Center Along Width:
0.315 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg End Radius:
0.480 inches
Second Leg End Radius:
0.480 inches
First Leg Style:
End radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:

90.0 degrees

## NSN 5340-00-905-7293

Angle Bracket - Page 2 of 2



Material:
Steel comp 321
Material Specification:
66 federal standard single material response
Surface Treatment:
Passivate
Style Designator:
Angle
Fsc Application Data:
Gas turbine engine, aircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A042a0