

View Online at <https://aerobasegroup.com/nsn/5340-00-906-8054>

**Fabrication Method (non-core):**

Any acceptable

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.630 inches and 0.750 inches

**Second Leg Length:**

Between 3.490 inches and 3.550 inches

**Second Leg Width:**

1.380 inches

**First Leg Hole Diameter:**

Between 0.256 inches and 0.264 inches

**Second Leg Hole Diameter:**

Between 0.218 inches and 0.225 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.625 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.755 inches

**First Leg Thickness:**

Between 0.022 inches and 0.042 inches

**Second Leg Thickness:**

Between 0.022 inches and 0.042 inches

**First Leg Width:**

Between 0.730 inches and 0.790 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.350 inches and 0.410 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.350 inches and 0.410 inches

**First Leg End Radius:**

Between 0.350 inches and 0.410 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

3 holes along lg of second leg, 0.173 in. Dia, 0.500 in. Between each hole along lg, 1.400 in. From edge to hole ctr

**Material:**

Steel comp 301

**Material Specification:**

Mil-s-5059 military specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-5059 spec.