

View Online at <https://aerobasegroup.com/nsn/5340-00-908-1802>

First Leg Length:

1.200 inches

Second Leg Length:

2.160 inches

Furnished Items (non-core):

2 rivet p/n ms20427m3-4; nutplate p/n nas686c3

Reinforcement Method (non-core):

Web second leg

End Application:

Fwd support, afterburner shroud

Second Leg Width:

0.620 inches

Second Leg Corner Radius:

0.180 inches

Second Leg End Width:

1.485 inches

Second Leg Hole Diameter:

0.218 inches

Second Leg Distance Between Hole Centers Along Width:

1.125 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.180 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.180 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

0.620 inches

First Leg End Radius:

0.500 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Three holes

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Items furnished as accessories: 2 rivet p/n ms20427m3-4; nutplate p/n nas686c3

Material:

Steel comp 321

Material Specification:

Mil-s-6721 military specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-s-6721 spec.