

View Online at <https://aerobasegroup.com/nsn/5340-00-911-0201>

Mounting Hole Type:

Plain

First Leg Length:

0.800 inches

Second Leg Length:

1.937 inches

Second Leg Width:

2.750 inches

First Leg Slot Length:

Between 0.372 inches and 0.388 inches

First Leg Slot Width:

Between 0.202 inches and 0.218 inches

Second Leg Hole Diameter:

0.136 inches

Second Leg Distance Between Hole Centers Along Width:

0.447 inches

Second Leg Distance Between Hole Centers Along Length:

0.727 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.245 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.177 inches

First Leg Thickness:

Between 0.060 inches and 0.070 inches

Second Leg Thickness:

Between 0.060 inches and 0.070 inches

First Leg Width:

2.750 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.259 inches and 1.275 inches

First Leg Distance From Edge To Hole Center Along Width:

0.913 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

Second Leg End Radius:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

2 additional 0.250 in. Diameter holes in second leg

Material:

Steel comp 321 and steel comp 347

Material Specification:

Ams 5510 assn standard 1st material response and ams 5512 assn standard 2nd material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0