

View Online at <https://aerobasegroup.com/nsn/5340-00-914-3751>

**First Leg Length:**

Between 1.125 inches and 1.155 inches

**Second Leg Length:**

Between 1.325 inches and 1.357 inches

**End Application:**

Engine, aircraft j-52

**Second Leg Width:**

Between 1.240 inches and 1.260 inches

**Second Leg Corner Radius:**

Between 0.109 inches and 0.141 inches

**First Leg Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.620 inches and 0.630 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.272 inches and 0.287 inches

**Second Leg Slot Length:**

Between 0.340 inches and 0.350 inches

**Second Leg Slot Width:**

Between 0.276 inches and 0.286 inches

**First Leg Thickness:**

Between 0.071 inches and 0.085 inches

**Second Leg Thickness:**

Between 0.071 inches and 0.085 inches

**First Leg Width:**

Between 1.240 inches and 1.260 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.234 inches and 0.266 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.234 inches and 0.266 inches

**First Leg End Radius:**

Between 0.234 inches and 0.266 inches

**First Leg Style:**

End radius and tapered

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

78.5 degrees

**Material:**

Steel comp 410

**Material Specification:**

Ams 5504 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0