

View Online at <https://aerobasegroup.com/nsn/5340-00-914-3751>

First Leg Length:

Between 1.125 inches and 1.155 inches

Second Leg Length:

Between 1.325 inches and 1.357 inches

End Application:

Engine, aircraft j-52

Second Leg Width:

Between 1.240 inches and 1.260 inches

Second Leg Corner Radius:

Between 0.109 inches and 0.141 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.620 inches and 0.630 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.272 inches and 0.287 inches

Second Leg Slot Length:

Between 0.340 inches and 0.350 inches

Second Leg Slot Width:

Between 0.276 inches and 0.286 inches

First Leg Thickness:

Between 0.071 inches and 0.085 inches

Second Leg Thickness:

Between 0.071 inches and 0.085 inches

First Leg Width:

Between 1.240 inches and 1.260 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.234 inches and 0.266 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.234 inches and 0.266 inches

First Leg End Radius:

Between 0.234 inches and 0.266 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

78.5 degrees

Material:

Steel comp 410

Material Specification:

Ams 5504 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0