

View Online at <https://aerobasegroup.com/nsn/5340-00-914-5400>

**Counterbore Diameter:**

Between 0.4800 inches and 0.5000 inches

**Overall Height:**

0.5400 inches

**First Step Diameter:**

0.9490 inches

**First Step Length:**

0.0900 inches

**Second Step Diameter:**

Between 1.2860 inches and 1.2880 inches

**Bore Diameter:**

Between 0.3100 inches and 0.3140 inches

**Material Hardness Rating:**

Between 35.0 rockwell c and 42.0 rockwell c

**Design Type:**

Solid

**End Diameter:**

Between 0.3100 inches and 0.3140 inches

**Distance From End To First Step:**

Between 0.3550 inches and 0.3650 inches

**Counterbore Length:**

Between 0.2600 inches and 0.2800 inches

**Second Counterbore Length:**

Between 0.1050 inches and 0.1150 inches

**Second Counterbore Diameter:**

Between 0.7700 inches and 0.7900 inches

**Material:**

Steel, ams 5643

**Material:**

Steel comp 630

**Material Specification:**

Ams 5643 assn standard single material response

**Surface Treatment:**

Anodize

**Style Designator:**

Seat

**Surface Treatment:**

Anodized

**Fsc Application Data:**

Housing assembly, engine acft, p/n 491980

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T319-e