

View Online at <https://aerobasegroup.com/nsn/5340-00-914-5400>

Counterbore Diameter:

Between 0.4800 inches and 0.5000 inches

Overall Height:

0.5400 inches

First Step Diameter:

0.9490 inches

First Step Length:

0.0900 inches

Second Step Diameter:

Between 1.2860 inches and 1.2880 inches

Bore Diameter:

Between 0.3100 inches and 0.3140 inches

Material Hardness Rating:

Between 35.0 rockwell c and 42.0 rockwell c

Design Type:

Solid

End Diameter:

Between 0.3100 inches and 0.3140 inches

Distance From End To First Step:

Between 0.3550 inches and 0.3650 inches

Counterbore Length:

Between 0.2600 inches and 0.2800 inches

Second Counterbore Length:

Between 0.1050 inches and 0.1150 inches

Second Counterbore Diameter:

Between 0.7700 inches and 0.7900 inches

Material:

Steel, ams 5643

Material:

Steel comp 630

Material Specification:

Ams 5643 assn standard single material response

Surface Treatment:

Anodize

Style Designator:

Seat

Surface Treatment:

Anodized

Fsc Application Data:

Housing assembly, engine acft, p/n 491980

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T319-e