

View Online at <https://aerobasegroup.com/nsn/5340-00-918-0010>

Fabrication Method (non-core):

Any acceptable

Mounting Hole Type:

Plain

First Leg Length:

Between 0.722 inches and 0.758 inches

Second Leg Length:

Between 1.100 inches and 1.140 inches

Second Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Hole Diameter:

0.203 inches

Second Leg Hole Diameter:

0.203 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.240 inches and 0.260 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Thickness:

Between 0.080 inches and 0.100 inches

Second Leg Thickness:

Between 0.080 inches and 0.100 inches

First Leg Width:

Between 0.953 inches and 1.003 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.213 inches and 0.223 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.242 inches and 0.258 inches

Second Leg End Radius:

Between 0.240 inches and 0.260 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 0.090 degrees and 0.150 degrees

Material:

Iron alloy 660

Material Specification:

Ams 5525 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A042a0