

View Online at <https://aerobasegroup.com/nsn/5340-00-919-7834>

**Mounting Hole Type:**

Countersunk

**First Leg Length:**

0.750 inches

**Second Leg Length:**

1.625 inches

**Second Leg Width:**

1.281 inches

**First Leg Hole Diameter:**

Between 0.202 inches and 0.204 inches

**Second Leg Hole Diameter:**

0.113 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.000 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.141 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.141 inches

**First Leg Thickness:**

0.093 inches

**Second Leg Thickness:**

0.093 inches

**First Leg Width:**

1.281 inches

**First Leg Distance Between Hole Centers Along Width:**

0.650 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.290 inches and 0.310 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 assn standard single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.