

View Online at <https://aerobasegroup.com/nsn/5340-00-920-8712>

**First Leg Length:**

0.950 inches

**Second Leg Length:**

1.120 inches

**Furnished Items (non-core):**

2 rivets p/n ms20427m3-4; nutplate p/n nas1067c3

**End Application:**

Aft center support, afterburner shroud

**Second Leg Width:**

0.620 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.220 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.220 inches

**First Leg Thickness:**

0.040 inches

**Second Leg Thickness:**

0.040 inches

**First Leg Width:**

0.620 inches

**First Leg End Width:**

1.590 inches

**First Leg Distance Between Hole Centers Along Width:**

1.150 inches

**First Leg Distance Between Hole Centers Along Length:**

0.050 inches

**First Leg End Radius:**

0.220 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Items furnished as accessories: 2 rivets p/n ms20427m3-4; nutplate p/n nas1067c3

**Material:**

Steel comp 321

**Material Specification:**

Mil-s-6721 military specification single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-s-6721 spec.