

View Online at <https://aerobasegroup.com/nsn/5340-00-922-3140>

**Material Thickness:**

Between 0.082 inches and 0.098 inches

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.330 inches

**Second Leg Length:**

1.570 inches

**Second Leg Width:**

Between 0.580 inches and 0.600 inches

**First Leg Slot Length:**

Between 0.288 inches and 0.294 inches

**First Leg Slot Width:**

Between 0.228 inches and 0.234 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.229 inches and 0.310 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.229 inches and 0.310 inches

**Second Leg Slot Length:**

Between 0.288 inches and 0.294 inches

**Second Leg Slot Width:**

Between 0.228 inches and 0.234 inches

**First Leg Width:**

Between 0.580 inches and 0.600 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.290 inches and 0.310 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.290 inches and 0.310 inches

**First Leg End Radius:**

Between 0.290 inches and 0.310 inches

**Second Leg End Radius:**

Between 0.290 inches and 0.310 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One slot

**Hole Quantity:**

2

**Angle:**

90.0 degrees

**Second Leg Relationship To First Leg:**

Not identical

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0