

View Online at <https://aerobasegroup.com/nsn/5340-00-923-0176>

First Leg Length:

Between 0.815 inches and 0.835 inches

Second Leg Length:

Between 0.815 inches and 0.835 inches

Second Leg Width:

Between 0.480 inches and 0.520 inches

Second Leg Corner Radius:

0.060 inches

First Leg Hole Diameter:

Between 0.217 inches and 0.225 inches

Second Leg Hole Diameter:

Between 0.217 inches and 0.225 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.230 inches and 0.270 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.190 inches and 0.210 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

First Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Corner Radius:

0.060 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.230 inches and 0.270 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.190 inches and 0.210 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 321

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0