NSN 5340-00-924-2825

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-924-2825

| Fabrication Method (non-core): |
|------------------------------------------------------------|
| Machined |
| First Leg Length: |
| 0.656 inches |
| Second Leg Length: |
| 0.703 inches |
| Second Leg Width: |
| 0.594 inches |
| First Leg Hole Diameter: |
| 0.095 inches |
| Second Leg Hole Diameter: |
| 0.085 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| 0.344 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.125 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.130 inches |
| First Leg Thickness: |
| 0.090 inches |
| Second Leg Thickness: |
| 0.090 inches |
| First Leg Width: |
| 0.594 inches |
| First Leg Distance Between Hole Centers Along Width: |
| 0.344 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.125 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.140 inches |
| First Leg Style: |
| Square |
| First Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Style: |
| Square |
| Second Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |

90.0 degrees

NSN 5340-00-924-2825

Angle Bracket - Page 2 of 2

Mil-c-5541 spec.



| Material: |
|-------------------------------------------------------------|
| Aluminum alloy 5052 |
| Material Specification: |
| Qq-a-250/8 federal specification single material response |
| Surface Treatment: |
| Chromate |
| Surface Treatment Specification: |
| Mil-c-5541 military specification single treatment response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A042a0 |
| Mil-std (military Standard): |