

View Online at <https://aerobasegroup.com/nsn/5340-00-925-1279>

First Leg Length:

0.420 inches

Second Leg Length:

0.710 inches

Second Leg Width:

0.680 inches

Second Leg End Width:

0.880 inches

First Leg Hole Diameter:

Between 0.124 inches and 0.126 inches

Second Leg Hole Diameter:

Between 0.142 inches and 0.149 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.485 inches and 0.505 inches

Second Leg Distance Between Hole Centers Along Length:

0.042 mils and 0.044 centimeters

Second Leg Distance From Edge To Hole Center Along Width:

0.215 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.170 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

0.680 inches

First Leg Distance Between Hole Centers Along Width:

Between 0.340 inches and 0.350 inches

First Leg Distance From Edge To Hole Center Along Width:

0.265 inches

First Leg Distance From Edge To Hole Center Along Length:

0.170 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

2nd leg has corners cut on 3 edges; nut, self lk, p/n 107b8160p11, 2 each included

Material:

Aluminum alloy

Material Specification:

Qq-a-318, h34 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type ii, dye black military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.