

View Online at <https://aerobasegroup.com/nsn/5340-00-933-5350>

**First Leg Length:**

3.000 inches

**Second Leg Length:**

1.625 inches

**Second Leg Width:**

1.500 inches

**First Leg Slot Length:**

2.000 inches

**First Leg Slot Width:**

0.281 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**Second Leg Slot Length:**

1.000 inches

**Second Leg Slot Width:**

0.281 inches

**First Leg Thickness:**

Between 0.180 inches and 0.200 inches

**Second Leg Thickness:**

Between 0.180 inches and 0.200 inches

**First Leg Width:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

1.250 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One slot

**First Leg Angle:**

90.0 degrees

**Heat Treatment:**

H-32 strain hardened

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Tt-e-529 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0