NSN 5340-00-935-3938

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-00-935-3938

First Leg Length: 0.938 inches Second Leg Length: 1.750 inches Second Leg Width: 0.750 inches **Second Leg Corner Radius:** 0.250 inches First Leg Hole Diameter: Between 0.098 inches and 0.101 inches Second Leg Hole Diameter: Between 0.219 inches and 0.233 inches Second Leg Distance Between Hole Centers Along Length: 0.625 inches Second Leg Distance From Edge To Hole Center Along Width: 0.375 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.250 inches First Leg Thickness: 0.072 inches Second Leg Thickness: 0.072 inches First Leg Width: 0.750 inches First Leg Corner Radius: 0.250 inches First Leg Distance Between Hole Centers Along Width: 0.375 inches First Leg Distance Between First And Second Hole Centers Along Width: 0.188 inches First Leg Distance Between Second And Third Hole Centers Along Width: 0.188 inches First Leg Distance From Edge To Hole Center Along Width: 0.188 inches First Leg Distance From Edge To Hole Center Along Length: 0.188 inches First Leg Distance Between First And Second Hole Centers Along Length: 0.188 inches First Leg Distance Between Second And Third Hole Centers Along Length: 0.188 inches First Leg Style:

Corner radius

NSN 5340-00-935-3938 Angle Bracket - Page 2 of 2



First Leg Hole Arrangement Style:
Four holes
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Heat Treatment:
T-3 solution heat treated
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/5, alclad t3 federal specification single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0